

CIPET VIJAYAWADA

Mandatory Disclosures

AICTE Permanent ID:	1-4830116331
Website:	https://www.cipet.gov.in/centres/cipet-vijayawada/introduction.php

1. Name of the Institution:

Central Institute of Petrochemicals Engineering & Technology (CIPET)-Vijayawada
Survey No.377, Surampally X Roads, Gannavaram Mandal, Vijayawada,
Andhra Pradesh, PIN 521212, Phone No.0866 2951466, Mobile No. 9959333414
Email: vijayawada@cipet.gov.in

2. Name and address of the Trust/Society/Company and the Trustees:

CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING AND TECHNOLOGY (CIPET),
Head Office,
T.V.K.Industrial Estate,
Guindy, Chennai-600032

Sl.No.	Name	Designation	Mobile No.	E-mail ID
1.	Dr. Shishir Sinha	Secretary	9719633333	shishir@cipet.gov.in
2.	Dr. K. Prakalathan	Chairman	9677123883	academics@cipet.gov.in
3.	Smt. Subha Jayaraman	Member	7869955245	academics@cipet.gov.in

3. Name and Address of the Principal/Director :

Dr. Chinta Shekar (Joint Director & Head)


Central Institute of Petrochemicals Engineering & Technology (CIPET)-Vijayawada
Survey No.377, Surampally X Roads, Gannavaram Mandal, Vijayawada,
Andhra Pradesh, PIN: 521212, Phone No.0866 2951466, Mobile No. 9959333414

4. Name of the affiliating University :

N.A (Autonomous Institution)

5. Governance:

5.1. Organization Chart & Process-



5.2. Grievance Redressal mechanism for Faculty, staff and students:



केंद्रीय पेट्रोसायन अभियांत्रिकी एवं प्रौद्योगिकी संस्थान (सिपेट) CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING & TECHNOLOGY (CIPET)

CIRCULAR/परिपत्र

CIPET/CSTS/VJA/ GRC /2023-24

September 20, 2023

Sub: Constitution of Students Grievance Redressal Committee-reg.

With reference to the above cited, the below **Students Grievance Redressal Committee** has constituted at CIPET:CSTS Vijayawada to ensure proper recording and redressal of the Grievances.

Sl.No	Name of the Official& Designation	Committee
1.	Dr. Chinta Shekar, Joint Director & Head	Chairman
2.	Mr. Puneet Bhargav, Administrative Officer (P&A)	Member
3.	Mr. E Naga Durga Prasad , Technical Officer	Member
4.	Mr. R Srinu, Asst. Technical Officer	Member
5.	Mr. K Sundar Rao. Technician Gr.I	Member
6.	Dr. P Sivannarayana, Lecturer	Member
7.	Mrs. D Leela Aruna, Lecturer	Member
8.	Mrs. M Sai Prasanna, Lecturer	Member
9.	Mr.Koramutla Harsha Vardhan (DPT-III Year)	Member
10.	Ms.Kodali Eesha (DPMT-III Year)	Member
11.	Mr.Garala Pavan Kalyan (DPMT-III Year)	Member
12.	Mr.T Sunil (PGDPPT-II Year)	Member
13.	Mr. S Tirumala (DPT II Year)	Member
14.	Mr. Shaik Inam (DPMT II Year)	Member
15.	Mr. Chimmani Ramappa (PGDPPT I Year)	Member
16.	Mr. Puranam Eswar (DPT I Year)	Member
17.	Mr. Kalupukuri Durga Malleswara Vijay Kumar (DPMT I Year)	Member

This order will come into force with immediate effect and the undersigned informs the committee to take necessary preventive as well as corrective measures for timely redressal of grievances if any.

To
The Individual concerned

Copy to:

- Officer order file
- Notice Board



Joint Director & Head

5.3. Establishment of Anti Ragging Committee:



CIPET:CSTS-VIJAYAWADA

सिपेट: शि.एस.टी.एस-विजयवाड़ा

CIRCULAR/परिपत्र

CIPET/CSTS/VJA/ Anti ragging_Committee/2024

January 23, 2024

Sub: Constitution of Anti ragging committee at CIPET:CSTS, Vijayawada-reg.

In pursuant to the directive of the Hon'ble Supreme Court of India and recommendations of the Raghavan committee on ragging. The Anti Ragging committee has been constituted for CIPET:CSTS, Vijayawada with the following members.

S.No	Name of the Official	Designation	Contact No.	Committee
1.	Dr.Ch.Shekar	Joint Director & Head	9959333414	Chairman
2.	Local Police Station (Gannavaram)	Police Admin	08676 252333	Member
3.	Mr.Balu J	Technical Officer	9840406117	Member
4.	Mr. E Naga Durga Prasad	Technical Officer	7229004049	Member
5.	Mr. R Srinu	Asst.Technical Officer	8985925810	Member
6.	Mr. K SundarRao	Technician Gr.I	9398050255	Member
7	Mr.G Malleswara Rao	Librarian Gr.III	9440531978	Member
8..	Mr. SrinivasaRao	Industrialist	8179017566	Member
9..	Mr. Kodali Eesha	DPMT VI	8519871470	Member
10.	Mr.G.Satish	DPT VI	9640983124	Member
11.	Mr. T.Sunil	PGDPPT IV	6309871521	Member
12.	Mrs.Ch.SitaMahaLakshmi	Parent	9948696371	Member
13.	Mr. M Rama Krishna Rao	Parent	9948199208	Member

All the officials are requested to ensure that ragging free atmosphere is created and maintained in the institute & hostel premises. Any incidence of ragging should be dealt firmly in accordance with the lose and directives.

To
The Individual concerned

Copy to:

- Officer order file
- Notice Board



Joint Director & Head

5.4. Establishment of Online Grievance Redressal Mechanism:

https://www.cipet.gov.in/academics/students_grievance_registration_form.php

5.5. Details of Grievance Redressal Committee in the Institution and OMBUDSMAN by the University:



केंद्रीय पेट्रोसायन अभियांत्रिकी एवं प्रौद्योगिकी संस्थान (सिपेट)
CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING & TECHNOLOGY (CIPET)

CIRCULAR/परिपत्र

CIPET/CSTS/VJA/ GRC /2023-24

September 20, 2023

Sub: Constitution of Students Grievance Redressal Committee-reg.

With reference to the above cited, the below **Students Grievance Redressal Committee** has constituted at CIPET:CSTS Vijayawada to ensure proper recording and redressal of the Grievances.

Sl.No	Name of the Official& Designation	Committee
1.	Dr. Chinta Shekar, Joint Director & Head	Chairman
2.	Mr. Puneet Bhargav, Administrative Officer (P&A)	Member <i>a</i>
3.	Mr. E Naga Durga Prasad , Technical Officer	Member
4.	Mr. R Srinu, Asst. Technical Officer	Member <i>an</i>
5.	Mr. K Sundar Rao. Technician Gr.I	Member <i>2402m</i>
6.	Dr. P Sivannarayana, Lecturer	Member <i>so P</i>
7.	Mrs. D Leela Aruna, Lecturer	Member <i>leela</i>
8.	Mrs. M Sai Prasanna, Lecturer	Member <i>2</i>
9.	Mr.Koramutla Harsha Vardhan (DPT-III Year)	Member <i>h</i>
10.	Ms.Kodali Eesha (DPMT-III Year)	Member <i>Eesha</i>
11.	Mr.Garala Pavan Kalyan (DPMT-III Year)	Member <i>Pavan</i>
12.	Mr.T Sunil (PGDPPT-II Year)	Member
13.	Mr. S Tirumala (DPT II Year)	Member <i>ST</i>
14.	Mr. Shaik Inam (DPMT II Year)	Member <i>Sh. Inam</i>
15.	Mr. Chimmani Ramappa (PGDPPT I Year)	Member <i>C. Ramappa</i>
16.	Mr. Puranam Eswar (DPT I Year)	Member <i>P. Eswar</i>
17.	Mr. Kalupukuri Durga Malleswara Vijay Kumar (DPMT I Year)	Member <i>K. Vijay</i>

This order will come into force with immediate effect and the undersigned informs the committee to take necessary preventive as well as corrective measures for timely redressal of grievances if any.

To
The Individual concerned

Copy to:

- Officer order file
- Notice Board



(Signature)
Joint Director & Head

5.6. Establishment of Internal Complaints Committee (ICC):



CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING AND TECHNOLOGY

केंद्रीय पेट्रोकेमिकल्स इंजीनियरिंग एवं तकनीकी संस्थान

CIPET : CSTS, Vijayawada

सिपेट: सि यस् टि यस्, विजयवाड़ा

परिपत्र /CIRCULAR

CIPET/CSTS/VJA/ICC/2020-21

February 16, 2021

विषय/ Sub: Constitution of Internal Complaints Committee (ICC) for Sexual Harassment of Women at Workplace – reg.

In order to control, monitor and prevent any type of Sexual Harassment issues in the campus of CIPET: CSTS, Vijayawada, the following Internal Sexual Harassment Committee is constituted:

S.No	Name of the Official & Designation	Role	Contact No.	E-Mail ID
1.	Mrs. Sirisha Devi K Sr. Technical Officer (From other unit of Same Employer)	Presiding Officer	8008944788	sirisha_kongala@yahoo.com
2.	Dr.B.Keerthi President Vasavya Mahila Mandali Vijayawada	External Member	9848542521	vasavyamm@gmail.com
3.	Mrs. G Indira Admin Asst. Gr - II	Member	9949354392	indiraganesh3@gmail.com
4.	Mrs. Sai Prasanna M Faculty	Member	9346655599	saiprasanna.mopidevi@gmail.com
5.	Mr.Srinivas Tangirala Asst. F&A Officer	Member	9392118929	srinivastangirala81@gmail.com
6.	Mr. Tagore S V K Batta Asst. Administrative Officer	Member	9000422500	tagore.batta@gmail.com

This order will come into force with immediate effect and supersedes the earlier issued orders and the committee is informed to take necessary measures for timely redressal of issues if any.

Manager (Project) & Head
प्रबंधक (परियोजना) प्रमुख एवं

सेवा में/ To:

- सभी संबंधित अधिकारी / All the concerned officials

प्रतिलिपि/Copy to:

- प्रशासनिक विभाग / Administration dept.
- परिपत्र फ़ाइल / Circular File
- सूचना पट्ट / Notice Board



5.7. Establishment of Committee for SC/ST:



CIPET:CSTS-VIJAYAWADA सिपेट: शि.एस.टी.एस- विजयवाड़ा

CIRCULAR/परिपत्र

CIPET/CSTS/VJA/ SC/ST/2024

January 23, 2024

Sub: Constitution of SC/ST Committee-reg.

With reference to the above, the SC/ST Committee at CIPET:CSTS-Vijayawada has been constituted with the following officials.

S.No	Name of the Official	Designation	Committee	Contact No.
1.	Mr.Puneet Bhargav	Officer (Per. & Admin)	Chairman	9805096676
2.	Mr.R.Srinu	Asst.Technical Officer	Member	8985925810
3.	Mr. K SundarRao	Technician Gr.I	Member	9398050255
4.	Mr. B Ravi	Tech Asst. Gr.II	Member	9581193413
5.	Mr J Suresh	Admin. AsstGr.III	Member	9640452432
6.	Mrs.MSai Prasanna	Lecturer in Com. Science	Member	9346655599

The committee will monitor and endeavour to resolve issue, grievance relating to SC/ST students at this institute level.


Joint Director & Head

To
The Individual concerned

Copy to:

- Officer order file
- Notice Board



5.8. Internal Quality Assurance Cell : Established

<https://www.cipet.gov.in/academics/iqac.php>

6. Programmes:

6.1. Name of Programmes approved by AICTE

1.	Postgraduate Diploma In Plastics Processing & Testing (PGD-PPT)
2.	Diploma In Plastics Technology (DPT)
3.	Diploma In Plastics Mould Technology (DPMT)

6.2. Name of Programmes Accredited by NBA – NIL

6.3. Status of Accreditation of the Courses- Pre-Qualifiers to be filed for DPT & DPMT courses

6.4. Total number of Courses- 03

6.5. No. Of courses for which applied for accreditation : Pre-Qualifiers to be filed for DPT & DPMT courses

6.6. Programme details :

Name of the Course	No. of Seats	Duration	Eligibility
Postgraduate Diploma in Plastics Processing & Testing (PGD-PPT)	30	2 Years	Degree in BSc.
Diploma in Plastics Technology(DPT)	60	3 Years	10 th Pass
Diploma in Plastics Mould Technology (DPMT)	60	3 Years	10 th Pass

6.7. Fee:

https://www.cipet.gov.in/academics/diplomaprograms_fees_structure.php

6.8. Campus placement in last year with minimum salary, maximum salary and average salary

Maximum salary	Minimum Salary	Average Salary
2.16 Pa.	1.62 Pa	1.80Pa

7. Faculty:

Sl.No	Name of the Employee	Designation	Qualification	Course
1	Dr.Chinta Shekar	Joint Director & Head	M.Tech , Ph.D	DPMT,PGD-PPT,DPT
2	Shri. K Kameswar Rao	Technical Officer	M.Tech	DPMT,PGD-PPT,DPT
3	Shri. Balu J	Technical Officer	B.Tech	DPMT,DPT
4	Shri E Naga Durga Prasad	Technical Officer	M.E	DPMT,PGD-PPT,DPT
5	Shri.R Srinu	Asst. Technical Officer	M.Tech	DPMT,DPT
6	Shri. Daljinder Singh	Asst.Officer (Admin)	MBA	DPMT,DPT
7	Shri. T Srinivas	Asst.Officer (Finance)	B.Com	DPMT,DPT
8	Shri.B.Ravi	Technical Asst. Gr.II	B.Tech	DPMT,DPT
9	Shri. L.Saida	Technician Gr.III	DPT	DPMT,DPT
10	Shri. D Bhaskar	Technical Asst. Gr III	DPT	DPMT,DPT
11	Shri. M Babu	Technical Asst. Gr.III	B.Sc, PGD-PPT	DPMT,DPT
12	Shri Brijesh Kumar	Technical Asst.Gr.III	B.Sc,PD-PT	DPMT,DPT
13	Shri. K Sundar Rao	Technician Gr.I	PD-CAD/CAM	DPMT,DPT
14	Shri. S Rama Krishna	Technician Gr.II	Dip.in Tool Eng.	DPMT,DPT
15	Shri.G Chandrasekhar	Technical Asst.G.III	Dip.in Mech	DPMT,DPT
16	Shri V Ramesh	Admin Asst.Gr.III	B.Com,B.Ed	DPMT,DPT
17	Ms. Naga Sirisha	Admin Asst.Gr.III	B.Tech	DPMT,DPT
18	Shri Bezavada Siva Kumar	Account Asst.Gr.I	M.Com	DPMT,DPT
19	Shri. J Suresh	Admin Asst.Gr.III	B.Com	DPMT,DPT
20	Shri. D Mahesh	Admin Asst.Gr.III	M.Com	DPMT,DPT
21	Shri. B Anji Naik	Librarian Gr.II	MBA, MLisc.	DPMT,PGD-PPT,DPT
22	Shri.Malleswararao G	Librarian Gr.III	MA, MLisc, UGC-NET, AP-SET	DPMT,PGD-PPT,DPT
23	Shri. B Venkanna	Librarian Gr.III	B.Tech, MLisc	DPMT,PGD-PPT,DPT
24	Shri. B Kiran Kumar	Placement Consultant (Contractual)	MBA	DPMT,PGD-PPT,DPT
25	Ms M Sai Prasanna	Lecturer (Contractual)	MCA	DPT,DPMT
26	Dr.P Sivannarayana	Lecturer (Contractual)	M.Sc.,B.Ed.,Ph.D	DPMT,PGD-PPT,DPT
27	Ms. P J S Priyanka	Workshop Attendant	B.Sc,PGD-PPT	DPT,PGDPPT
28	Ms. N Sravya Rekha	Workshop Attendant	B.Sc,PGD-PPT	DPMT,PGD-PPT,DPT
29	Ms. Siji	Workshop Attendant	MSc.	DPT,PGD-PPT
30	Shri. K V Satyanarayana	Guest Faculty	M.A	DPMT,PGD-PPT,DPT

8. Profile of Vice Chancellor/Director/Principal/Faculty :

<https://www.cipet.gov.in/centres/cipet-vijayawada/our-team.php>

9. Fee:

https://www.cipet.gov.in/academics/diplomaprograms_fees_structure.php

10. Admission:

10.1. Number of seats sanctioned with the year of approval:

COURSE DETAILS													
Programme		Engineering & Technology											
Sr. No.	Course Name	Level	FT/PT	Affiliating body/ University	Intake approved 2021-22	Intake Approved 2022-23	Applied For	Applied intake 2023-24	Number of Required Faculty	Number of Faculty	NRI Approval Status	OCI/ FN Approval Status	Status of NBA accreditation
1	PLASTICS PROCESSING AND TESTING	PG	FT	NONE	30	30	EoA Only	30	4	4	Not interested	Not interested	Not Accredited
2	PLASTIC MOULD TECHNOLOGY (DPMT)	Diploma	FT	NONE	60	60	EoA Only	60	10	10	Not interested	Not interested	Not Accredited
3	PLASTICS TECHNOLOGY	Diploma	FT	NONE	60	60	EoA Only	60	10	10	Not interested	Not interested	Not Accredited

10.2. Number of Students admitted under various categories each year in the last three years:

CIPET-VIJAYAWADA

Course Name	Target	Admission Status for last three years A.Y 2021-2022/2022-2023/2023-2024														Total
		SC		ST		OBC(NCL)		OBC		GEN		EWS		TOTAL		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
PGD-PPT (2023-24)	30	4	0	0	0	1	0	0	0	0	0	0	0	5	0	5
PGD-PPT (2022-23)	30	0	0	0	0	2	0	0	0	0	1	0	0	2	1	3
PGD-PPT (2021-22)	30	1	1	0	1	2	1	0	0	1	2	0	0	0	0	9
DPMT (2023-24)	60	14	0	3	0	20	0	0	0	9	0	2	0	48	0	48
DPMT (2022-23)	60	6	4	1	0	14	0	0	0	6	0	1	0	28	4	32
DPMT (2021-22)	60	7	0	2	0	26	0	0	0	12	2	3	0	50	2	52
DPT (2023-24)	60	14	2	2	0	17	2	0	0	2	0	1	0	36	4	40
DPT (2022-23)	60	6	2	3	0	16	2	0	0	10	1	2	0	37	5	42
DPT (2021-22)	60	8	1	0	0	14	5	1	0	8	1	0	1	31	8	39
Total	450	60	10	11	1	112	10	1	0	48	7	9	1	241	29	270

10.3. Number of applications received during last year for admission under Management Quota and number admitted – Not Applicable

11. Admission Procedure; CIPET ADMISSION TEST (CAT) 2024

11.1. A **Computer Based Test (CBT)** for admission to Diploma, Post Diploma and Post graduate Diploma Courses of CIPET for the Academic Year 2024-25 will be conducted. Selection of students is based on the Performance in CBT.

https://www.cipet.gov.in/academics/cipet_admission.php

11.2. Number of seats allotted to different Test Qualified candidate separately (AIEEE//JEE/ CET (State conducted test/ University tests/ CMAT)/ Association conducted test etc.) – **NA**

11.3. Calendar for admission against Management quota seats: – **NA**

11.4. Last date of request for applications – **31.05.2024**

11.5. Last date of submission of applications – **31.05.2024**

11.6. Dates for announcing final results – **14.06.2024.**

11.7. Release of admission list (main list and waiting list shall be announced on the same day) – **14.06.2024.**

11.8. Date for acceptance by the candidate (time given shall in no case be less than 15 days) – **2nd week of July.**

11.9. Last date for closing of admission & Starting of the Academic session – **As per AICTE Calendar.**

11.10. The waiting list shall be activated only on the expiry of date of main list – **Process followed.**

11.11. The policy of refund of the Fee, in case of withdrawal.

In the event of a student / candidate withdrawing before the starting of the course, the wait listed candidates should be given admission against the vacant seat. The entire fee collected from the student, after a deduction of the processing fee of not more than Rs. 1000/- (Rupees one thousand only) shall be refunded and returned by the Institution to the student / candidate withdrawing from the program. It would not be permissible for the Institution to retain the School / Institution Leaving Certificates in original to force retention of admitted students and not to charge fees for the remaining period if a student cancels the admission at any point of time

12. Criteria and Weight ages for Admission:

https://www.cipet.gov.in/academics/cipet_admission.php

13. List of Applicants:

https://www.cipet.gov.in/academics/cipet_admission.php

14. Results of Admission under Management seats/Vacant seats: Not Applicable

15. Information of Infrastructure and Other Resources Available:

Class Room, Tutorial Room, Laboratories, Computer Centre, Examination Centre

INSTRUCTIONAL AREA				
Sr. No.	Programme	ENGINEERING AND TECHNOLOGY	Level	DIPLOMA
1	Room Type	Laboratory	Room ID/ Name	CE L6
	Area of Room in Sqm	96.93	Building Name	ACADEMIC BLOCK 1st FLOOR
	Building Number	1	Readiness of Flooring	Ready
	Readiness of Wall and Painting	Ready	Readiness of Electrification and Lighting	Ready
	Readiness of furniture/fixtures	Ready	Air Conditioning	Planned
Sr. No.	Programme	ENGINEERING AND TECHNOLOGY	Level	DIPLOMA
2	Room Type	Laboratory	Room ID/ Name	CHM L3
	Area of Room in Sqm	96.93	Building Name	ACADEMIC BLOCK 1st FLOOR
	Building Number	1	Readiness of Flooring	Ready
	Readiness of Wall and Painting	Ready	Readiness of Electrification and Lighting	Ready
	Readiness of furniture/fixtures	Ready	Air Conditioning	Planned
Sr. No.	Programme	ENGINEERING AND TECHNOLOGY	Level	POST GRADUATE DIPLOMA
3	Room Type	Classroom	Room ID/ Name	CR 1
	Area of Room in Sqm	99	Building Name	ACADEMIC BLOCK GROUND FLOOR
	Building Number	1	Readiness of Flooring	Ready
	Readiness of Wall and Painting	Ready	Readiness of Electrification and Lighting	Ready
	Readiness of furniture/fixtures	Ready	Air Conditioning	Planned
Sr. No.	Programme	ENGINEERING AND TECHNOLOGY	Level	DIPLOMA
4	Room Type	Classroom	Room ID/ Name	CR 2

15.8. Barrier Free Built Environment for disabled and elderly persons



C) BARRIER FREE BUILT ENVIRONMENT AND TOILETS CREATED FOR PHYCICALLY CHALLENGED
WORKING LIFTS FOR G+2



15.9. Fire Safety Certificate:

Government of Andhra Pradesh
A.P. State Disaster Response and Fire Services Department
No Objection Certificate for Occupancy
 To: AP CRDA, LENNIN CENTER BESANT ROAD, Sirmada,.
 File No: 15569/KR/LR/0/2020
 Date: 23/07/2021
 Sub: Andhra Pradesh State Disaster Response and Fire Services Department - No Objection Certificate for Occupancy to the existing / newly constructed Multi Storeyed Building (CENTRAL INSTITUTE OF PLASTICS ENGINEERING AND TECHNOLOGY VIJAYAWADA) CPWD VIJAYAWADA, SURVEY NO. 377, SURAMPALLI VILLAGE, GANNAVARAM MANDAL, KRISHNA DISTRICT - Regarding.
 Ref: 1. Online Application Dt. 04-12-2020. CPWD VIJAYAWADA, SURVEY NO. 377, SURAMPALLI VILLAGE, GANNAVARAM MANDAL, KRISHNA DISTRICT.
 2. Online Inspection Report submitted by Officers of this Department on 18-02-2021.
 It is to inform that CPWD VIJAYAWADA applied for No Objection Certificate on 04-12-2020 for Occupancy to the existing / newly constructed Multi Storeyed Building (CENTRAL INSTITUTE OF PLASTICS ENGINEERING AND TECHNOLOGY VIJAYAWADA) at SURVEY NO. 377, SURAMPALLI VILLAGE, GANNAVARAM MANDAL, KRISHNA DISTRICT. The officers of the department have scrutinized the information, documents and plans submitted by the applicant along with the undertaking provided by the applicant, and have submitted the following report.

Sl	Floor	Build up area (Sq Mtrs)	Occupancy Type	No of Occupants as declared by the holder	Aggregate width of Staircases (Provided/Meters)	Fire Doors Lift	Deficit
1	Ground Floor	4162	Educational - Engineering and Technology	332	3.5	5	0 Nil
2	First Floor	1656.5	Educational - Engineering and Technology	132	6	5	0 Nil
3	Second Floor	1306.77	Educational - Engineering and Technology	104	6	5	0 Nil
4	Open terrace	146.64	Other Non-Occupancies	0	6	5	0 Nil
Total		7271.91		568			

FIRE NOC CERTIFICATE

Educational Building
 2. The builder has constructed a Non Multi Storeyed Building with Ground Floor + 2 Upper Floors with a height of 10.8 Mtrs for Educational Occupancy (Category - B2) in a total plot area of 42432.1 sq. meters.
 3. The builder has provided open spaces all around the building.
Open Space Required as per Provisional the Builder **Open Space Provided by the Builder** **Remarks**

Side	per Provisional	the Builder	the Builder	Remarks
North	6.00 Meters	6.00 Meters	6.00 Meters	-Nil-
East	6.00 Meters	6.00 Meters	6.00 Meters	-Nil-
South	6.00 Meters	6.00 Meters	6.00 Meters	-Nil-
West	6.00 Meters	6.00 Meters	6.00 Meters	-Nil-

4. The builder has constructed following means of escape:

Sl	Details of Staircases	Provided Nos / Meters/Deficit
1	Internal Staircases	2 Nos. - 2 Meters Each -Nil-
2	External Staircases	1 No. - 2 Meters -Nil-
Total		6 Meters -Nil-

5. The builder has proposed to provide Occupant Load:

Sl	Floor	Build up area (Sq Mtrs)	Occupancy Type	No of Occupants as declared by the holder	Aggregate width of Staircases (Provided/Meters)	Fire Doors Lift	Deficit
1	Ground Floor	4162	Educational - Engineering and Technology	332	3.5	5	0 Nil
2	First Floor	1656.5	Educational - Engineering and Technology	132	6	5	0 Nil
3	Second Floor	1306.77	Educational - Engineering and Technology	104	6	5	0 Nil
4	Open terrace	146.64	Other Non-Occupancies	0	6	5	0 Nil
Total		7271.91		568			

6. The minimum Fire Fighting Installations required as per Table 7 of Part 4 of National Building Code of India 2016 are:

Sl	Fire Safety System	Proposed as per PNOC	Provided
1	Fire Extinguishers	75 Nos.	75 Nos.
2	Hoze Reel Systems	10 Nos.	10 Nos.
3	Down Corner	1 Nos (For Each Floor)	1 Nos (For Each Floor)
4	Terrace Tank	10000 Ltrs	10000 Ltrs
5	Booster Pump	450 LPM	450 LPM

7. The builder has provided the following floorwise Fire Fighting installations as per Table 7 of Part - 4 of NBC of India 2016.

Sl.	Floor	Fire Ext.	Hoze Reel	Down Corner	Terrace Tank	Booster Pump
1	Ground Floor	42/42	5/5			
2	First Floor	17/17	2/2			
3	Second Floor	14/14	2/2			
4	Open terrace	2/2	1/1			
Total		75/75	10/10	1 Nos (For Each Floor) / 1 Nos (For Each Floor)	10000 Ltrs/10000 Ltrs	450 LPM/450 LPM

Occupancy NOC Conditions:

Sl.	Condition	Complied by the Applicant / Not
1	The permission accorded does not confer any ownership rights. If it is found that the information furnished is false and fabricated, the permissions will be revoked at any stage and the applicant will be liable for criminal prosecution as per IPC.	Yes
2	This permission is given based on the information, documents and drawings provided by the applicant. The applicant confirms that the information provided and the documents and drawings submitted electronically are correct. The final approval of proceedings are subject to verification of documents by concerned officials including site visit. Any deviation noticed will lead to cancellation of NOC.	Yes
3	Prize approval should be obtained separately for any change of nature of occupancy or change of number of floors or area.	Yes
4	Structural safety shall be the responsibility of the Owner / Builder / Developer / Architect or Engineer.	Yes
5	Provide one entry and one exit to the premises with minimum width of 4.5 mts and height clearance of 5.0 mts.	Yes
6	Provide diesel generator of required capacity as alternate source of electric supply.	Yes
7	Provide emergency lighting in corridors, common passages and staircases.	Yes
8	The occupant load and occupants per unit out with minimum travel distance for occupancy shall be as per clause 4.3 (Table 3), classes 4.4.2.1, Table 4 Occupancy Factors, Classes 4.4.2.1, 4.4.2.2(c), 4.4.2.2(b) and Table 5 Classes 4.4.2.1, 4.4.2.2, of part-4 of NBC 2016.	Yes
9	The building shall be suitably compartmented so that fire/smoke remain confined to the area where fire incident has occurred and does not spread to the remaining parts of the building as per clause 4.2 Part 4 of National Building Code of India 2016.	Yes
10	Openings in any separating walls in any floor shall be limited to 5.6 meters in area with maximum height of 2.75 meters. Every wall opening shall be protected with Fire resisting doors having fire rating of not less than 2 hrs. All openings in the floors shall be protected by vertical enclosures extending above and below such openings, the wall of such enclosures having a fire resistance of not less than 2 hrs and all openings there in being protected with a fire resisting assembly strictly complying with IS:3614 Part 1:1966 and Clause 3.4.5 of NBC 2016, Part 4. Fire doors should be provided in each floor.	Yes
11	Illumination of means of Exit in Staircases and Corridors shall be provided with DCS or Electrical Power as per Clause 4.4.7 of Part 4 of NBC of India 2016.	Yes
12	Smoke Venting facilities for safe use of exits shall be provided as per clause 3.4.4, 4.4.2.5 & 4.6 Part -IV of NBC 2016. Emergency Power Supply shall be provided for smoke venting equipment with DCS supply.	Yes
13	All Fire Safety Systems shall be provided as per the provisions of Part -4 of NBC of India 2016.	Yes
14	Fire doors with 2 hrs Fire Resistance shall be provided at appropriate places along the escape route and particularly at the entrance to the lift lobby, corridors and staircases.	Yes
15	Ventilation of Staircases shall comply with Clause 4.4.2.5, 4.6 of Part 4 of NBC 2016.	Yes
16	No Hazardous materials such as Petroleum products, explosives, chemicals etc should be stored on any floor of the building.	Yes

Sl.	Condition	Complied by the Applicant / Not
17	Clause 2.24 Fire fighting Shaft (Fire Tower) An enclosed shaft having protected area of 120 min fire resistance rating comprising protected lobby, staircase and fireman's lift, connected directly to exit discharge or through exit passageway with 120 min fire resistance wall at the level of exit discharge to exit discharge. These shall also serve the purpose of exit requirement.	Yes
18	Clause 4.10 -NBC-PART-IV-2016: A qualified Fire Officer with experience of not less than 3 years shall be appointed who will be available on the premises, for large educational complexes, business buildings with height 30 m and above, residential building with height 60 m and above, institutional buildings of 15 m and above, stored hotels and D-6 occupancy.	Yes
19	ANNEX-D, part-IV, NBC-2016 D-3 DRILLS: D-3.1 Fire drills shall be conducted, in accordance with the fire safety plan, at least once every three months for building during the first two years. Thereafter, fire drills shall be conducted at least once every six months. D-3.2 All occupants of the building shall participate in the fire drill. However, occupants of the building, other than building service employees are not required to leave the floor or use the exits during the drill. D-3.3 A written record of such drill shall be kept on the premises for a three years period and shall be readily available for fire brigade inspection.	Yes
20	ANNEX-D, part-IV, NBC-2016 D-4 SIGNS AND PLANS: D-4.1 Signs at lift Landings: A sign shall be posted and maintained in a conspicuous place on every floor or on near lift landing in accordance with the requirements, indicating that in case of fire, occupants shall use the same, unless instructed otherwise. The sign shall contain a diagram showing the location of the stairways except that such diagram may be omitted, provide and signs containing such diagram are posted in conspicuous places on the respective floor.	Yes
21	ANNEX-D, part-IV, NBC-2016 D-5 FIRE SAFETY PLAN: D-5.1 A Format for the fire safety plan shall be as given in D-9.10. D-5.2 The applicable parts of the approved fire safety plan shall be distributed to all tenants of the building by the building management when the fire safety plan has been approved by the Fire Authority. D-5.3 The applicable parts of the approved Fire safety plan shall be distributed by the tenants to all their employees and by the building management to all their building employees. D-5.4 In the event there are changes from conditions existing at the time the fire safety plan for the building was approved, and the changes are such as to require amending the fire safety plan, within 30 days after such changes, an amended fire safety plan shall be submitted to the fire brigade for approval.	Yes
22	ANNEX-D, part-IV, NBC-2016 D-6 FIRE COMMANDS CENTRE	Yes

1	All the fire protection arrangements shall be maintained in good condition as seen during inspection.	All the occupant's routes shall not be kept locked/blocked or encroached	All the occupants must know the correct method of operation of the fire fighting system installed.
2	Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibility of the management.	All occupants shall be trained to operate the fire safety equipment during emergency.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
3	Addition / alteration, if any in the building may be verified by building authority.	Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.	All security personnel shall be trained to operate the fire safety equipments during emergency.
4	This No objection Certificate for occupancy is valid for one year from the date of issue of this letter.	Raise the alarm of the fire cannot be controlled. Evacuate the area completely at once from nearest safe exit.	Attach the fire using available fire equipment only if you feel capable of controlling. If not, take all steps to isolate the area by closing doors and windows.

5. This No Objection Certificate for Occupancy is valid for a period of one year only from the date of issue of this letter. It is the responsibility of the builder to apply for Renewal of No Objection Certificate for Occupancy, duly remitting the User Charges as per G.O.Ms.No.71, Home (Prison-A) Department, dated 01-08-2010 and G.O.Ms.No.140, Home (Prison -B) Department, dated 04-09-2015, before expiry of this No Objection Certificate.

9. The following deficiencies are identified by the officers of the department and need to be attended to by the management.

In view of the above, as per the recommendations of the NOC Committee, the No Objection Certificate for Occupancy is hereby issued to the Newly constructed Non Multi Storeyed Building subject to the above conditions. Your Sincerely,

Regional Fire Officer
 Andhra Pradesh, Vijayawada



Copy to CPWD VIJAYAWADA, VACC CAMPUS BLOCK 12 CR 15 NEW AUTONAGAR KANURU VIJAYAWADA 520007
 Copy to Chief Officer for Record Purpose
 Copy to District Fire Officer concerned
 Copy to Assistant District Fire Officer concerned
 Copy to Station Fire Officer concerned

- 15.10. Hostel Facilities – Available (Boys 100, Girls 50)
- 15.11. Library - Available
- 15.12. Number of Library books/ebooks/Titles/Journals available – Books 1952, Title 602
- 15.13. List of online National/International Journals subscribed - Available
- 15.14. E- Library – Available

15.15. National Digital Library (NDL) subscription details: Available



CIPET LIBRARY VJA <cipetlibraryvja@gmail.com>

Congratulations! Your Institute Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada is now an NDLI Club.

2 messages

NDLI CLUB <ndl.club@iitkgp.ac.in>

Tue, Apr 27, 2021 at 11:22 AM

To: CIPET <cipetlibraryvja@gmail.com>, club-support@ndl.gov.in



Your Institute Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada is now is now a part of the NDLI Club

Dear CIPET,

The request of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada to set up NDLI Club at the institute has been approved. All interested students, faculty members and employees of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada can now enroll themselves as members of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada NDLI Club, using the passkey given below:

Passkey: -- 29760830-ffea-4675-a05f-a1cffeec7ca3

Club Registration Number : INAPNC3DRY2RZKG

You are requested to share the Passkey with all your students, faculty members and employees via e-mail and advise them to visit <https://club.ndl.iitkgp.ac.in/sign-up> to enroll themselves as member of the NDLI Club using their e-mail id and the Passkey. You may also take a printout of the enclosed document and paste it on the notice boards of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada so that the students, faculty members and employees can view the details about the NDLI Club and enroll themselves as members of the Club by scanning the QR Code indicated in the page.

You will be able to download a Certificate of Registration for NDLI Club of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada from the NDLI Club portal [club url](#) once you conduct 1st event of your NDLI Club (which may be NDLI User Awareness Session) within the next 30 days and that is attended by at least 100 members of the NDLI Club of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada.

This NDLI Club Certificate of Registration is valid for 12 Month and will be renewed every 12 Month, subject to the NDLI Club of Central Institute of Petrochemicals Engineering & Technology (CIPET) Vijayawada conducting at least 6 reading/knowledge related Events and 4 Global Events conducted by others online within the next 12 months and at least 100 members of your Club attending .

The best performing NDLI Clubs at District/ State/ National level will be recognized appropriately.

We look forward to your continued support.

To verify your Club role, please Click Here. In case of any difficulty in accessing the above link please click on the url below

Not Applicable

**Best Regards,
NDLI Club Team,
IIT Kharagpur.**

15.21. Innovation Cell : Established

15.22. Social Media Cell : Established

15.26. Games & Sports :



16. Placement Details :

CIPET: VIJAYAWADA LTC PLACEMENT DETAILS

LTC PLACEMENT DATA 2020-2021

S.No	Course Name	Total No. Students	Placement cum Internship(A)	Higher Studies Opted Students(B)	Placement Opted Students(C)	Placement % = (B+C)/A
1	DPT	38	37	05	32	100%
2	DPMT	46	46	06	40	100%
3	PGD-PPT	11	11	00	11	100%

LTC PLACEMENT DATA 2021-2022

S.No	Course Name	Total No. Students	Placement cum Internship(A)	Higher Studies Opted Students(B)	Placement Opted Students(C)	Placement % = (B+C)/A
1	DPT	54	54	20	34	100%
2	DPMT	61	61	29	32	100%
3	PGD-PPT	06	06	03	03	100%

LTC PLACEMENT DATA 2022-2023

S.No	Course Name	Total No. Students	Placement cum Internship(A)	Higher Studies Opted Students(B)	Placement Opted Students(C)	Placement % = (B+C)/A
1	DPT	66	66	00	66	100%
2	DPMT	69	69	00	69	100%
3	PGD-PPT	02	02	00	02	100%

17. MOU's with Industries

MOU'S

Sl.No.	Name of the Organization/ Institute with MOA/NDA signed	Purpose	Year of MOA/NDA Signed		Outcome of the MOU/NDA
			Signed	Validity	
1.	Dhanekula Institute of Engineering & Technology-Vijayawada, AP	Internship & Academics collaboration	15.07.2019	14.07.2024	MOU Signed
2.	NRI Institute of Technology-Pothvarappadu, Agiripalli, Vijayawada	Internship & Academics collaboration	11.12.2020	10.12.2022	MOU Signed
3.	Gudlavalleru Engineering College(Autonomous)-Krishna District	Internship & Academics collaboration	20.10.2020	19.10.2022	MOU Signed
4.	Narasaraopeta Engineering College-Guntur, AP	Internship & Academics collaboration	10.08.2021	09.08.2024	MOU Signed
5.	Ameya Polymers, Pothavarappadu, Agiripalli, Vijayawada	Training & Placement	27.04.2022	26.04.2025	MOU Signed
6.	Sri Vasavi Plastics, Kaikalur, Eluru, Andhra Pradesh	Training & Placement	27.04.2022	26.04.2025	MOU Signed
7.	Sri Saptagiri Pipe Industries, Mangalagiri, Guntur, AP	Training & Placement	27.04.2022	26.04.2025	MOU Signed